

SCHOOL FOOD SERVICE INSPECTION REPORT
Clackamas County Environmental Health , 2051 Kaen Road Suite 367, Oregon City OR 97045
(503) 655-8384

Establishment Name:
John Wetten Elementary
250 E Exeter St
Gladstone , OR 97027

Inspection Type: Semi-Annual
Inspection Result: Complied
Inspector: Amy Heiden

Owners Name:
Gladstone School District
Gladstone School District
250 E Exeter St
Gladstone , OR 97027

Establishment Number: NFRY-AJP34N
Establishment Type: School
Inspection Date: 10/14/2019

AN EVALUATION OF SANITATION ON YOUR PREMISES HAS THIS DAY BEEN MADE AND YOU ARE HEREBY NOTIFIED OF THE VIOLATIONS FOUND.

Observed Violations

Total # 0

Repeated # 0

Comments:

INSPECTED DURING LUNCH SERVICE.

INSPECTION NOTES:

- HAND SINKS STOCKED AND ACCESSIBLE
- GOOD SUPERVISION AT SALAD BAR OBSERVED
- CLEAN UTENSILS REPLACE USED UTENSILS AT SALAD BAR BETWEEN LUNCH CLASSES
- HOT HOLDING "MC RIB" TYPE SANDWICHES TODAY 143 F IN CABINETS, SLOPPY JOES 167 F IN HOT WELL.
- WALK IN COOLER AIR TEMP 38 F, WALK IN FREEZER -10 F, HARD BOILED EGG IN WALK IN 40 F.
- DATE MARKING AS NEEDED
- ONLY WASHABLE (APPLES, AND CARROTS) COME BACK FROM SALAD BAR AND GET WASHED BEFORE BEING STORED FOR RE-USE.
- LOGS KEPT AS NEEDED
- NO SHARING TABLE IN USE.
- TRASH AND RECYCLING AREA MAINTAINED.
- DRY STORAGE CLEAN AND ORGANIZED
- ILLNESS EXCLUSION POSTER AND DISCUSSED
- THERMOMETERS AND TEST STRIPS PROVIDED
- QUAT SANITIZER 150 ppm RESIDUAL FOR WIPING CLOTHS, DISCUSSED WITH PIC MAINTAINING SANITIZER BETWEEN 200-400 PPM.
- DISH MACHINE REACHES 165 F FINAL SANITIZING RINSE
- 4/4 FOOD HANDLERS CARDS POSTED.



Person in Charge:



Inspected By: Amy Heiden , REHS